




**TRUCK  
TRAILER  
PROS**

## **LOWBOY LBD75AM 3+3+2**



**TTSA**  
TRAILERS

**LBD75AM 3+3+2**



# LBD75AM 3+3+2

## DIMENSIONS

Overall Width	9 feet
Overall Length	99 feet 6 inches - 103 feet 6 inches
Booster Length	20 feet 5 inches
Jeep Dolly Length	30 feet 3 inches
Bed Length	28 feet
Central Bed Height	24 inches
Lateral Bed Height	21 inches
2nd King Pin Setup	Two positions: at 1'4" or 3'9" from front bolster
Number of axles	8
Setup	3 + 3 + 2
Tare Weight	60,860 Lbs +/- 3%
Frame Rating	165,340 Lbs
GVWR	226,200 Lbs

## STANDARD FEATURES

Main Beams	T1 Steel
Cross Member	Fabricated steel
Upper Coupler Assembly	3/8" thick pick-up plate
Fifth Wheel Height	48 inches
Mud Flaps	24" x 30" black plastic, 4 hole mounting
Fifth Wheel Slider	Slides to 48 inches
Electrical System	12 volt, 7-way split pin receptable plug
Floor	2.5 inches Apitong Wood
Gooseneck	Hydraulic detachable gooseneck
Hydraulic Power Source	Honda GX390
Rims	8.25" x 22.5" Aluminum
Tire Size	295 / 75R22.5
Hub Type	Steel
Axle Type	5" round, tapered, 77.5" long
Axle Centers	60 inches
Suspension type	Air Suspension
Brake System	Valve system for service brakes. 4S2M BENDIX ABS system
Metal Preparation	Clean, dry steel and commercial blast cleaning
Topcoat	Electrostatic Powered Coating



**LBD75AM 3+3+2**



**TRUCK  
TRAILER  
PROS**

**Truck Trailer Pros**  
(210) 760-0509  
Info@TruckTrailerPros.com

**[TruckTrailerPros.com](http://TruckTrailerPros.com)**